

## BlueBRIDGE - Task #11094

### Ckan Connector discovering: make it smarter

Feb 02, 2018 12:42 PM - Costantino Perciante

<b>Status:</b>	Closed	<b>Start date:</b>	Feb 02, 2018
<b>Priority:</b>	High	<b>Due date:</b>	
<b>Assignee:</b>	Costantino Perciante	<b>% Done:</b>	100%
<b>Category:</b>	Default	<b>Estimated time:</b>	0.00 hour
<b>Sprint:</b>	WP08		
<b>Infrastructure:</b>	Development		

**Description**

The piece of code that discovers the gcore endpoint in a given context should face the issue of having more than one of these gcore endpoints at VRE level. In these cases, it should check in which of them the context is actually present

#### History

##### #1 - Feb 06, 2018 04:44 PM - Costantino Perciante

- % Done changed from 0 to 100

- Status changed from New to In Progress

adding the following condition to the xpath query should do it

```
query.addCondition(String.format("$resource/Scopes/Scope/text()[.='%s']", scope))
```

##### #2 - Feb 06, 2018 04:44 PM - Costantino Perciante

- Status changed from In Progress to Feedback

##### #3 - Feb 14, 2018 11:19 AM - Costantino Perciante

- Status changed from Feedback to Closed